



Coats® EcoVerde™ Eloflex™

Coats EcoVerde Eloflex is a 100% recycled innovative performance stretch sewing thread for high extension, stretch seams. It has good tenacity, high extension properties and excellent sewability. Coats EcoVerde Eloflex is a great option for soft and secure stretch seams for performance sportswear and next-to-skin garments. Its controlled elongation minimises the risk of seam extension failure on stretch fabrics.



2026

Why choose Coats EcoVerde™ Eloflex™?

- Coats EcoVerde Eloflex delivers high extensibility and good seam strength with excellent sewability
- Controlled elongation which minimises the risk of seam extension failure on stretch fabrics
- Full range of thread sizes for all stretch fabric and stretch materials
- Extensive range of colours
- OEKO-TEX® STANDARD 100, Product Class I
- Less energy intensive to produce in comparison to virgin materials, which results in lower carbon emissions during production
- Delivers a similar level of performance as the virgin range, whilst offering sustainability benefits
- Global Recycled Standard (GRS) certified

Main Uses:

- For stretch seams in performance sportswear and activewear
- Stretch jeans and jeggings
- For highly stretchable seams in footwear
- Neck seams and hemming operations
- Underwear
- Childrenswear



Certified to the Global Recycled Standard (GRS) by IDFL, License No. 024352.



Product Range

Article Ticket	Ticket	Tex	Length	Ply	Average Strength cN	Elongation % Min - Max	Recommended Needle Size Metric
EVX3180	180	18	3,000 M	2	590	50 - 75	65 - 75
EVX5100	100	30	5,000 M	3	910	50 - 75	75 - 90
EVX3100	100	30	3,000 M	3	910	50 - 75	75 - 90
EVX3080	80	35	3,000 M	2	880	50 - 75	75 - 90
EVX3060	60	50	3,000 M	3	1,020	50 - 75	80 - 90
EVX2050	50	70	2,000 M	2	1,700	50 - 75	100 - 120
EVX2030	30	105	2,000 M	3	2,550	50 - 75	110 - 130

*Thread sizes are defined following the rules of the ASTM D204. This is the reason for some thread numbering differences in recycled and virgin option of the Eloflex thread.


- The three-ply fine size in recycled is Tkt 100, Tex 30. In virgin was Tkt 120, Tex 27.
- The Tkt 80 size is Tex 35 in recycled. In virgin was Tkt 80, Tex 40.

Chemical Properties

Mineral acids:	Resistant to most mineral acids
Alkalis:	Essentially unaffected by weak alkalis, but less resistant to stronger alkalis, especially at higher temperatures
Organic solvents:	Generally unaffected, but soluble in some phenolic compounds
Bleaching:	Unaffected
Insects / microorganisms: (mildew, rot)	Unaffected
Laundering / dry cleaning:	Unaffected
Moisture regain:	0.2%

Fastness Properties

Washing Fastness 60°C	ISO 105-C10 C	Grade 4
Water Fastness	ISO 105-E01	Grade 4
Hypochlorite Fastness	ISO 105-N01	Grade 4
Dry Cleaning Fastness	ISO 105-D01	Grade 4
Perspiration Fastness	ISO 105-E04	Grade 4



Coats EcoVerde Eloflex stretches when you do!

Made from 100% pre-consumer recycled material





Sustainability at Coats



Energy

We reduce carbon emissions through more efficient use of energy and transitioning to renewable sources whenever they become available. This is our crucial contribution to combat climate change.



Materials

With Coats EcoVerde we are driving the material transition away from virgin oil-based sewing threads. And we are on target to achieve 60% sustainable materials by 2026.



Water

The colouration or dyeing process is where we use the most water in our operations. We take great care of water resource by reducing our water intensity and through the installation of water recycling facilities.



Waste

Through all our processes we ensure that we recover, re-use and recycle as much material as possible. Where residual waste product is unavoidable, the waste is processed responsibly and always with the smallest impact on the environment.




People

We have a responsibility to employees, their families, our communities and all the people in our wider supply chain who touch our business. Through policies, programmes and community events, we ensure that safety, wellbeing, fairness, equality, diversity and opportunity are always top of mind for everyone.

To drive your hidden costs down, talk to Coats. From product audits in pre-production to the latest technical bulletins, we'll provide support that achieves measurable results.

For more information, talk to your Coats representative today or visit www.coats.com



Since conditions and applications vary considerably in the use of a product, the customer and/or user should assure themselves that the product meets end customer requirements and is suitable for the intended end use. Coats accepts no liability for unsuitable or improper use or application of products. Information provided is based on current averages and should be taken only as indicative. Coats accepts no liability for the precision and correctness of the information provided. Product information sheets are updated from time to time, please be sure you are referring to the most recent publication. Coats supports customers with advice on individual applications on request; if you have any questions or concerns, please contact us. Coats® is a registered trademark of J. & P. Coats, Limited. Coats EcoVerde™ and Eloflex™ are trademarks of J. & P. Coats, Limited. © Copyright reserved 2026.

JANUARY 2026